

Application No. 09/811,389  
Amendment under 37 CFR 1.111  
Reply to Office Action dated January 14, 2004  
April 14, 2004

AMENDMENTS TO THE CLAIMS

Please cancel claims 20, 24 and 26 without prejudice or disclaimer of the subject matter therein.

Please substitute claims 11, 15-17, 19, 21 and 23-25 for the pending claims with the same numbers respectively:

Claims 1-10 (Cancelled):

Claim 11 (Currently amended): A photographic printer comprising:

a laser beam scanner including:

a first laser light source for oscillating and emitting a red laser beam;

a second laser light source for oscillating and emitting a green laser beam;

a third laser light source for oscillating and emitting a blue laser beam;

a conveyor for linearly conveying a photographic paper to a predetermined scanning plane of the laser beam scanner at a predetermined constant speed;

Application No. 09/811,389  
Amendment under 37 CFR 1.111  
Reply to Office Action dated January 14, 2004  
April 14, 2004

an optical scanning system for scanning the laser beams on the predetermined scanning plane coinciding with a surface of a the photographic paper when being conveyed thereto;

an optical path adjusting system for adjusting optical paths of the optical scanning system, including:

a position sensor disposed on a plane optically conjugated with a plane corresponding to the photographic paper at the predetermined scanning plane;

a first adjuster for adjusting an optical path of the first laser beam;

a second adjuster for adjusting an optical path of the second laser beam;

a third adjuster for adjusting an optical path of the third laser beam; ~~and,~~ whereby all the positions of the laser beams can be adjusted to overlap at a certain point on the predetermined scanning plane.

~~a developer for developing a latent image exposed on the photographic paper by the laser beam scanner.~~

Claim 12 (Original): The photographic printer in accordance with claim 11, wherein the optical scanning system includes a beam splitter for splitting the laser beams in a first way for

Application No. 09/811,389  
Amendment under 37 CFR 1.111  
Reply to Office Action dated January 14, 2004  
April 14, 2004

introducing the laser beams toward the scanning plane and a second way for introducing split laser beams toward the position sensor.

Claim 13 (Currently amended): ~~The~~ A photographic printer ~~in accordance with claim 11,~~ comprising:

a laser beam scanner including:

a first laser light source for oscillating and emitting a red laser beam;

a second laser light source for oscillating and emitting a green laser beam;

a third laser light source for oscillating and emitting a blue laser beam;

a conveyor for linearly conveying a photographic paper to a predetermined scanning plane of the laser beam scanner at a predetermined constant speed;

an optical scanning system for scanning the laser beams on the predetermined scanning plane coinciding with a surface of the photographic paper when being conveyed thereto;

an optical path adjusting system for adjusting optical paths of the optical scanning system, including:

Application No. 09/811,389  
Amendment under 37 CFR 1.111  
Reply to Office Action dated January 14, 2004  
April 14, 2004

a position sensor disposed on a plane optically  
conjugated with a plane corresponding to the photographic  
paper at the predetermined scanning plane;

a first adjuster for adjusting an optical path of the  
first laser beam;

a second adjuster for adjusting an optical path of the  
second laser beam;

a third adjuster for adjusting an optical path of the  
third laser beam, whereby all the positions of the laser  
beams can be adjusted to overlap at a certain point on the  
predetermined scanning plane,

wherein ~~the~~ said optical scanning system includes a total  
reflection mirror for reflecting the laser beam toward the  
scanning plane and withdrawal while the optical paths are  
adjusted.

Claim 14 (Currently amended): The photographic printer in  
accordance with claim 11, wherein the optical ~~paths~~ path  
adjusting system further includes a monitor display for  
displaying the positions of the laser beams on the position  
sensor.

Application No. 09/811,389  
Amendment under 37 CFR 1.111  
Reply to Office Action dated January 14, 2004  
April 14, 2004

Claim 15 (Previously presented): The photographic printer in accordance with claim 11, wherein each of the adjusters is a mirror provided in the optical scanning system and manually rotatable around an axis for adjusting a reflection angle of the laser beam.

Claim 16 (Previously presented): The photographic printer in accordance with claim 15, wherein the optical scanning system includes a polygon mirror rotating at a constant rotation speed, and each of the adjusters is disposed between the laser light sources and the polygon mirror.

Claim 17 (Previously presented): The photographic printer in accordance with claim 11, wherein each of the adjusters is a mirror provided in the optical scanning system and rotated around an axis by an actuator for adjusting a reflection angle of the laser beam.

Claim 18 (Currently amended): ~~The A~~ photographic printer in accordance with claim 17, comprising:  
a laser beam scanner including:

Application No. 09/811,389  
Amendment under 37 CFR 1.111  
Reply to Office Action dated January 14, 2004  
April 14, 2004

a first laser light source for oscillating and  
emitting a red laser beam;

a second laser light source for oscillating and  
emitting a green laser beam;

a third laser light source for oscillating and  
emitting a blue laser beam;

a conveyor for linearly conveying a photographic paper to a  
predetermined scanning plane of the laser beam scanner at a  
predetermined constant speed;

an optical scanning system for scanning the laser beams on  
the predetermined scanning plane coinciding with a surface of the  
photographic paper when being conveyed thereto;

an optical path adjusting system for adjusting optical paths  
of the optical scanning system, including:

a position sensor disposed on a plane optically  
conjugated with a plane corresponding to the photographic  
paper at the predetermined scanning plane;

a first adjuster for adjusting an optical path of the  
first laser beam;

a second adjuster for adjusting an optical path of the  
second laser beam;

Application No. 09/811,389  
Amendment under 37 CFR 1.111  
Reply to Office Action dated January 14, 2004  
April 14, 2004

a third adjuster for adjusting an optical path of the third laser beam, whereby all the positions of the laser beams can be adjusted to overlap at a certain point on the predetermined scanning plane,  
wherein each of the adjusters is a mirror provided in the optical scanning system and rotated around an axis by an actuator for adjusting a reflection angle of the laser beam; and  
wherein the optical ~~paths~~ path adjusting system further includes a processor for calculating a quantity of displacement between the positions of the laser beams on the position sensor, and for controlling the actuator for coinciding the positions of the laser beams by using the calculated quantity of the displacement.

Claim 19 (Previously presented): The photographic printer in accordance with claim 17, wherein the optical scanning system includes a polygon mirror rotating at a constant rotation speed, and each of the adjusters is disposed between the laser light sources and the polygon mirror.

Claim 20 (Cancelled)

Application No. 09/811,389  
Amendment under 37 CFR 1.111  
Reply to Office Action dated January 14, 2004  
April 14, 2004

Claim 21 (Currently amended): A photographic printer  
comprising:

a laser beam scanner including:

a first laser light source for oscillating and  
emitting a red laser beam;

a second laser light source for oscillating and  
emitting a green laser beam;

a third laser light source for oscillating and  
emitting a blue laser beam;

a conveyor for linearly conveying a photographic paper to a  
predetermined scanning plane of the laser beam scanner at a  
predetermined constant speed:

an optical scanning system for scanning the laser beams on  
the predetermined scanning plane coinciding with a surface of the  
photographic paper when being conveyed thereto;

an optical path adjusting system for adjusting optical paths  
of the optical scanning system, including:

a position sensor disposed on a plane optically  
conjugated with a plane corresponding to the photographic  
paper at the predetermined scanning plane, and

a first adjuster for adjusting an optical path of the  
first laser beam;



Application No. 09/811,389  
Amendment under 37 CFR 1.111  
Reply to Office Action dated January 14, 2004  
April 14, 2004

a second adjuster for adjusting an optical path of the second laser beam;

a third adjuster for adjusting an optical path of the third laser beam,

wherein said first adjuster is a mirror provided in the optical scanning system and rotatable around two different axes for adjusting a reflection angle of the first laser beam and

said second adjuster is a mirror provided in the optical scanning system and rotatable around two different axes for adjusting a reflection angle of the second laser beam and

said third adjuster is a mirror provided in the optical scanning system and rotatable around two different axes for adjusting a reflection angle of the third laser beam; ~~and,~~  
whereby all the positions of the laser beams can be adjusted to overlap at a certain point on the predetermined scanning plane.

~~a developer for developing a latent image exposed on the photographic paper by the laser beam scanner.~~

Claim 22 (Cancelled):

Application No. 09/811,389  
Amendment under 37 CFR 1.111  
Reply to Office Action dated January 14, 2004  
April 14, 2004

Claim 23 (Currently amended): A photographic printer  
comprising:

a laser beam scanner including:

a first laser light source for oscillating and  
emitting a red laser beam;

a second laser light source for oscillating and  
emitting a green laser beam;

a third laser light source for oscillating and  
emitting a blue laser beam;

a conveyor for linearly conveying a photographic paper to a  
predetermined scanning plane of the laser beam scanner at a  
predetermined constant speed;

an optical scanning system for scanning the laser beams on  
the predetermined scanning plane coinciding with a surface of the  
photographic paper when being conveyed thereto;

an optical path adjusting system for adjusting optical paths  
of the optical scanning system, including:

a position sensor disposed on a plane optically  
conjugated with a plane corresponding to the photographic  
paper at the predetermined scanning plane, and

Application No. 09/811,389  
Amendment under 37 CFR 1.111  
Reply to Office Action dated January 14, 2004  
April 14, 2004

a first adjuster for adjusting an optical path of the first laser beam;

a second adjuster for adjusting an optical path of the second laser beam;

a third adjuster for adjusting an optical path of the third laser beam;

a monitor display for displaying images corresponding to the relative positions of the first laser beam and the second laser beam on the position sensor and said monitor display is detachable from the optical path adjusting system; ~~and~~

~~a developer for developing a latent image exposed on the photographic paper by the base beam scanner.~~

Claim 24 (Cancelled)

Claim 25 (Currently amended): A photographic printer comprising:

a laser beam scanner including:

a first laser light source for oscillating and emitting a red laser beam;

Application No. 09/811,389  
Amendment under 37 CFR 1.111  
Reply to Office Action dated January 14, 2004  
April 14, 2004

a second laser light source for oscillating and  
emitting a green laser beam;

a third laser light source for oscillating and  
emitting a blue laser beam;

a conveyor for linearly conveying a photographic paper to a  
predetermined scanning plane of the laser beam scanner at a  
predetermined constant speed;

an optical scanning system for scanning the laser beams on  
the predetermined scanning plane coinciding with a surface of a  
the photographic paper when being conveyed thereto;

an optical path adjusting system for adjusting optical paths  
of the optical scanning system, including:

a position sensor disposed on a plane optically  
conjugated with a plane corresponding to the photographic  
paper at the predetermined scanning plane;

a first adjuster for adjusting an optical path of the  
first laser beam;

a second adjuster for adjusting an optical path of the  
second laser beam;

a third adjuster for adjusting an optical path of the  
third laser beam, whereby all the positions of the laser beams

Application No. 09/811,389  
Amendment under 37 CFR 1.111  
Reply to Office Action dated January 14, 2004  
April 14, 2004

can be adjusted to overlap at a certain point on the  
predetermined scanning plane; and

a developer for developing a latent image exposed on the  
photographic paper by the laser beam scanner.

Claim 26 (Cancelled)